

DECLARATION OF CONFORMITY

Hereby we certify that the hoses of type ;
LACTERUS DROPHOSE EPDM
has been manufactured according to the procedures of Quality Assurance
System certified ISO 9001:2015.
Moreover, we certify that the EPDM liner of the hose above mentioned is
compliant to:

- 1907/2006/CE (REACH);
- FDA 21 CFR 177.2600;
- BfR RECOMMENDATION XXI CAT 2;
- DM 21.03.73 AND FOLLOWING;
- EUROPEAN REGLEMENT 1935/2004/CE,
- JAPAN MINISTRY OF HEALTH AND WELFARE NOTICE No. 370,1959 AND
No. 201,2006;
- 3A SANITARY STANDARD CLASS II.

Please refer to our data sheets for hose area of application and technical
information.

Ref: I:8.2.TS COC Lacterus Drophose EPDM 01 2020

Certified by



Lloyd's
Register

WWW.OTSUTECH.COM

De Flammert 1002c • 5854 NA Nieuw Bergen • T +31 (0)485 769 002 • sales@otsutech.com • KVK 12030619 • BTW NL807453286B01

Test report n°: **18LA05669** of **27/04/2018**

Sample Information

Description: **6049 EPDM**


Test subject: **Polymers**

Registration date: 09/04/2018 Registration hour: 16.04

Date of arrival: **09/04/2018** Hour of arrival: **16.04**

Notes on receipt: **Suitable**

Date analysis commenced: **09/04/2018** Date analysis completed: **26/04/2018**



Sampling data

Sampling by: **Customer**

Transport: **Customer**

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Mod.PT01.01 Rev.6

3A-Laboratori SRL

Via A.Volta 1/d Masera di Padova - 35020 (PD) Email amministrazione1@3alaboratori.it Phone 049 0994658-0994671 Fax 049 8868430
Cap. Soc. €100000,00 I.V. - REA di PD 378402 - Codice Fiscale, Iscriz. Reg. Imprese di Padova e Partita Iva 04296730288

WWW.OTSUTECH.COM

De Flammert 1002c • 5854 NA Nieuw Bergen • T +31 (0)485 769 002 • sales@otsutech.com • KVK 12030619 • BTW NL807453286B01

Page 1 of 11

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
*Aluminium (as Al) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	37367	1
*Antimony (as Sb) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	2,2	1
*Arsenic (as As) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	2,5	1
*Cadmium (as Cd) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	< 1,0	1
*Cobalt (as Co) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	59,5	1
*Chromium (as Cr) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	12,1	1
*Chromium (VI) content CNR IRSA 16 Q64 Vol 3:1988	mg/kg	< 2,0	2
*Mercury (as Hg) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	< 1,0	1
*Lead (as Pb) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	12,9	1
*Tin (as Sn) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	1	1
*Zinc (as Zn) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	11220	1
*Zirconium (as Zr) (le)EPA 3050B:1996 + EPA 6010D:2014	mg/kg	100	1
Ash UNI EN ISO 3451-1:2009			
Method		A	
Calcining temperature used	°C	850	
Mass of test portion 1	g	3,0	
Mass of test portion 2	g	2,5	
Ash of test portion 1	%	50,95	0,01
Ash of test portion 2	%	50,94	0,01
Average value of two measurements	%	50,94	0,01
Phthalates: CPSC-CH-C1001-09.3 2010			
DIBP-Diisobutyl phthalate (cas 84-69-5) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
DBP-Dibutyl phthalate (cas 84-74-2) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DnHP-Bis-n-hexylphthalate (cas 84-75-3) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DMEP - Bis(2-methoxyethyl) phthalate (cas 117-82-8) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
BBP-Benzyl butyl phthalate (cas 85-68-7) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DEHP-Bis (2-ethylhexyl)phthalate (cas 117-81-7) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DINP-Diisononyl phthalate (cas 68515-48-0) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DINP-Diisononyl phthalate (cas 28553-12-0) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DNOP-Di-n-octyl phthalate (cas 117-84-0) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DIDP-Diisodecyl phthalate (cas 26761-40-0) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DIDP-Diisodecyl phthalate (cas 68515-49-1) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DIHP-Diisohexylphthalates (cas 68515-50-4) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DIHP-Bis-C6-8-branched alkylphthalates (cas 71888-89-6) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DMP-Dimethyl phthalate (cas 131-11-3) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DEP-Diethyl phthalate (cas 84-66-2) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DiIsoAmyl phthalate (cas 605-50-5) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
N-Penthyl-IsoPenthyl phthalate (cas 84777-06-0) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
N-Penthyl-IsoPenthyl phthalate (cas 776297-69-9) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DiAmyl phthalate (cas 131-18-0) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DUP-Diundecyl phthalate (cas 3648-20-2) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
DCHP-Dicyclohexyl phthalate (cas 84-61-7) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
DNHDXP - 1,2-Benzenedicarboxylic Acid Di-C6,8,10-alkyl Esters (cas 68515-51-5 & 68648-93-1) CPSC-CH-C1001-09.3 2010	%	< 0,01	0,01
*Screening GC/MS EPA 3550C:2000 + EPA 8270D:2007	opinion	Acquired-See Annex	
Sum of polycyclic aromatic hydrocarbons AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	0,1	0,1
Naphtalene (cas 91-20-3) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	0,1	0,1
Acenaphthylene (cas 208-96-8) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Acenaphthene (cas 83-32-9) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Fluorene (cas 86-73-7) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Phenanthrene (cas 85-01-8) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Anthracene (cas 120-12-7) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Fluoranthene (cas 206-44-0) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Pyrene (cas 129-00-0) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(a)anthracene (cas 56-55-3) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(e)pyrene (cas 192-97-2) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(j)fluoranthene (cas 205-82-3) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Chrysene (cas 218-01-9) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(b)fluoranthene (cas 205-99-2) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(k)fluoranthene (cas 207-08-9) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(a)pyrene (cas 50-32-8) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
Indeno(1,2,3-c,d)pyrene (cas 193-39-5) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Dibenzo(a,h)anthracene (cas 53-70-3) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Benzo(g,h,i)perilene (cas 191-24-2) AfPS GS 2014:01 PAK - Result corrected for recovery	mg/kg	< 0,1	0,1
Alkylphenols and Alkylphenols ethoxylated - Sum EN ISO 18218-2:2015 - Annex B (HPLC)	mg/kg	57	40
4-tert-Octylphenol (cas 140-66-9) - OP EN ISO 18218-2:2015 - Annex B (HPLC)	mg/kg	< 20	20
Nonylphenol (cas 84852-15-3) - NP EN ISO 18218-2:2015 - Annex B (HPLC)	mg/kg	< 20	20
Octylphenol ethoxylate (different degrees) - OPxEO EN ISO 18218-2:2015 - Annex B (HPLC)	mg/kg	< 40	40
Nonylphenol ethoxylate (different degrees) - NPxEO EN ISO 18218-2:2015 - Annex B (HPLC)	mg/kg	57	40
*Bisphenol A (cas 80-05-7) EN ISO 18218-2:2015 - Annex B (HPLC)	mg/kg	< 50	50
Organotin compounds UNI CEN ISO/TS 16179:2012 - Result corrected for recovery			
Mono-n-butyltin - MBT (cas 1118-46-3) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Di-n-butyltin - DBT (cas 683-18-1) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Tri-n-butylstagno - TBT (cas 1461-22-9) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Mono-n-octyltin - MOT (cas 3091-25-6) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Tetra-n-butyltin - TeBT (cas 1461-25-2) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Di-n-octyltin - DOT (cas 3542-36-7) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Triphenyltin - TPhT (cas 639-58-7) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Tri-cyclohexyltin - TcyT (cas 3091-32-5) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50
Tri-n-octyltin - TOT (cas 2587-76-0) UNI CEN ISO/TS 16179:2012 - Result corrected for recovery	µg/kg	< 50	50

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
*Determination of certain aromatic amines derived from azo colorants UNI EN 14362-1:2017 - Result corrected for recovery			
*Extraction of disperse dyes with Xylene: UNI EN 14362-1:2017 - Result corrected for recovery		Not Performed	
*Outcome Extraction of the dyes dispersed with Xylene: UNI EN 14362-1:2017 - Result corrected for recovery		-	
*Detection and quantification method: GC/MS UNI EN 14362-1:2017 - Result corrected for recovery			
*o-toluidine (cas 95-53-4) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2,4-dimethylaniline (cas 95-68-1) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2,6-dimethylaniline (cas 87-62-7) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*4-Chloroaniline (cas 106-47-8) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*o-anisidine (cas 90-04-0) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2-methoxy-5-methylaniline (cas 120-71-8) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2,4,5-trimethylaniline (cas 137-17-7) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2,4-diaminoanisol (cas 615-05-4) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*4-chloro-2-methylaniline (cas 95-69-2) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2,4-diaminotoluene (cas 95-80-7) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*2-Aminonaphthalene (cas 91-59-8) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*5-nitro-o-toluidine (cas 99-55-8) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*4-aminobiphenyl (cas 92-67-1) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*p-phenylazoaniline (cas 60-09-3) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*4'-aminophenyl ether (cas 101-80-4) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
*4,4'-methyldianiline (cas 101-77-9) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*Benzidine (cas 92-87-5) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*o-Aminoazotoluene (cas 97-56-3) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*3,3'-dimethyl-4,4'-diaminodiphenylmethane (cas 838-88-0) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*3,3'-dimethylbenzidine (cas 119-93-7) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*4,4'-thiodianiline (cas 139-65-1) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*4,4'-methylene-bis-chloroaniline (cas 101-14-4) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*3,3'-dichlorobenzidine (cas 91-94-1) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
*3,3'-dimethoxybenzidine (cas 119-90-4) UNI EN 14362-1:2017 - Result corrected for recovery	mg/kg	< 30	30
Dimethylformamide - DMF (cas 68-12-2) M.I. 3023A Rev2 2017: Extraction in US (Methanol) and HPLC	mg/kg	< 20	20
Short-chain chlorinated paraffins (SCCP C10-C13) - cas 85535-84-8 ISO 18219:2015	mg/kg	< 50	50
*Determination of dyes M.I. 1183A:2010			
*Disperse Blue 1 (cas 2475-45-8) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Blue 3 (cas 2475-46-9) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Blue 106 (cas 12223-01-7) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Blue 124 (cas 61951-51-7) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Yellow 3 (cas 2832-40-8) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Orange 3 (cas 730-40-5) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Orange 37 (C.I. 11 132) (cas 13301-61-6) M.I. 1183A:2010	mg/kg	< 50,0	50

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018**

Parameter - Note Method - Note	U.M.	Result Note	LoQ
*Disperse Red 1 (cas 2872-52-8) M.I. 1183A:2010	mg/kg	< 50,0	50
*Solvent Yellow 1 (cas 60-09-3) M.I. 1183A:2010	mg/kg	< 50,0	50
*Solvent Yellow 2 (cas 60-11-7) M.I. 1183A:2010	mg/kg	< 50,0	50
*Solvent Yellow 2 (cas 60-11-7) M.I. 1183A:2010	mg/kg	< 50,0	50
*Basic Red 9 (cas 569-61-9) M.I. 1183A:2010	mg/kg	< 50,0	50
*Basic Violet 1 (cas 8004-87-3) M.I. 1183A:2010	mg/kg	< 50,0	50
*Basic Violet 3 (cas 548-62-9) M.I. 1183A:2010	mg/kg	< 50,0	50
*Acid Red 26 (cas 3761-53-3) M.I. 1183A:2010	mg/kg	< 50,0	50
*Acid Violet 49 (cas 1694-09-3) M.I. 1183A:2010	mg/kg	< 50,0	50
*Determination of carcinogenic dyestuffs	mg/kg	< 50,0	50
*Basic Violet 14 (cas 632-99-5) M.I. 1183A:2010	mg/kg	< 50,0	50
*Direct Black 38 (cas 1937-37-7) M.I. 1183A:2010	mg/kg	< 50,0	50
*Direct Blue 6 (cas 2602-46-2) M.I. 1183A:2010	mg/kg	< 50,0	50
*Direct Red 28 (cas 573-58-0) M.I. 1183A:2010	mg/kg	< 50,0	50
*Disperse Orange 11 (cas 82-28-0) M.I. 1183A:2010	mg/kg	< 50,0	50

LEGEND: **U.M.** = Unit of measurement; **(Sup)** = upper limit; **(Inf)** = Lower Limit ;; **x ÷ y** = acceptable range; **LoQ** = limit of quantification, the threshold value below which you choose not to bring any numerical result for the parameter in question; this limit is provided directly by the method, or is chosen on the basis of the experimental detection limits (LoQ or LoD) so as not to be changed over time or according to the chemical-physical or microbiological single sample; **LOD** = limit of detection; **NQ** = unquantifiable, indicates a value less than LoQ

"<x" or ">x" respectively indicate a value lower or higher than the measuring range of the test

UNLESS OTHERWISE SPECIFIED: Quantitative microbiological tests are performed on single replica and two consecutive dilutions in accordance with UNI EN ISO 7218: 2013 (with the exception of the analysis of water and MPN); the results of this test report are not correct for recovery factors (R) as the values of recovery are in the tolerance specified in the test method; summations are calculated using the criterion of the lower bound (LB)

If the sampling isn't the responsibility of 3ALaboratori Ltd., the test results were obtained on the basis of the data declared.

(le) parameters marked with "le" are performed in subcontracting.

(*): Test not accredited by ACCREDIA

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Test report n°: **18LA05669** of **27/04/2018****Opinions and Interpretations - Not subject to accreditation ACCREDIA:**

On the basis of the constituent materials of article in agreement with the client were analyzed the chemicals listed in this Report.

RESULT SUMMARY: PASS

According to specified test processes in this report:

" contents of 181 substances of very high concern (SVHC) in candidate list promulgated by European Chemicals Agency (ECHA) before and on 15/01/2018, which are defined in Article 57 of regulation (EU) 1907/2006 (REACH regulation), are less than 0.1% (w/w), in submitted sample. Determination of substances of inorganic nature was based on elemental analysis and their concentration was calculated based on assumption of worst-case.

" Substances indicated in Article 67 of regulation (EU) 1907/2006 comply with the conditions of any restrictions laid in their regard in Annex XVII. In the specific Regulation (EC) 552/2009, Regulation (EU) 276/2010, Regulation (EU) 494/2011 and Regulation (EU) 109/2012 amending Regulation (EU) No 1907/2006 the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards Annex XVII

Notes:

1) If the imported or manufactured volume of each individual SVHC in article is more than 0.1% (w/w) and if it exceeds 1 tonne per year across all product ranges, then importer or manufacturer require notification to the European Chemical Agency (ECHA). Notification should be done by June 2011, which is 4 years after REACH has been implemented. The following information has to be submitted for notification:

- a. Identification of the registrant and the substance
- b. Classification and labelling of the substance
- c. Description of use of the substance and the article
- d. Registration number, if available
- e. Tonnage range

2) As per Article 33(1) of Regulation (EC) 1907/2006 (REACH), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1% (w/w). A product meets the requirement of article () by default when no SVHC exceeds % (w/w).

3) As per article of Regulation (EC) 1907/2006 (REACH), suppliers of preparations not classified as dangerous according to directive 1999/45/EC have to provide the recipients, at their request, with a MSDS if the preparations contain at least one substance on the SVHC candidate list and its individual concentration is 0.1% (w/w) or above for non-gaseous preparations.

Technical Director

Dr. Giovanni Mitaritonna
Chemist

Ordine Interprov. Chimici del Veneto - Padova n° 910 SEZ. A

The analytical results are exclusively referred to the sample.


Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Mod.PT01.01 Rev.6

Test report n°: 18LA05669 of 27/04/2018



PK	RT	Area Pct	Library/ID	CAS	QUAL
2	6.6931	0.2363	4-Ethylamino-n-butylamine	064429-16-9	86
3	8.8243	0.4582	Aniline, N-methyl-	000100-61-8	97
4	10.4684	0.1853	Dodecane	000112-40-3	96
5	13.327	1.6712	Tetradecane	000629-59-4	98
6	15.8768	3.6359	Hexadecane	000544-76-3	98
7	16.2141	0.5767	2,6-Bis(1,1-dimethylethyl)-4-(1-oxopropyl)phenol	014035-34-8	93
8	17.5844	0.2516	Sulfurous acid, hexyl pentadecyl ester	1000309-13-7	52
9	17.816	0.1243	Hexadecane	000544-76-3	81
10	18.1691	4.9389	Octadecane	000593-45-3	98
11	18.3277	0.2069	5-Octadecene, (E)-	007206-21-5	89
12	19.0277	0.2216	3,4-Dihydro-2H-pyrrole-2,5-dicarbonitrile	1000189-98-9	30
13	19.6994	0.2054	Tridecane, 5-methyl-	025117-31-1	87
14	19.9212	0.1607	Octadecane	000593-45-3	86
15	20.2476	5.7386	Eicosane	000112-95-8	99
16	20.441	0.286	Cycloicosane	000296-56-0	50
17	21.6334	0.2091	Eicosane, 2,4-dimethyl-	075163-98-3	83
18	21.8451	0.3291	Heptadecane, 3-methyl-	006418-44-6	87
19	22.1446	5.9526	Docosane	000629-97-0	95
20	22.3683	0.2884	Cyclohexane, 2-propenyl-	002114-42-3	53
21	22.8733	0.437	Octanamide, N,N-dimethyl-	001118-92-9	94
22	23.272	0.3384	8-Hydroxy-2,2-dimethyl-8-phenyl-oct-5-en-3-one	083040-88-4	25
23	23.4133	0.2112	Eicosane	000112-95-8	80
24	23.6153	0.2489	Docosane	000629-97-0	84
25	23.892	5.8136	Tetracosane	000646-31-1	99
26	24.1377	0.5702	1-Heptacosanol	002004-39-9	70
27	24.3534	0.4254	11,13-Dimethyl-12-tetradecen-1-ol acetate	1000130-81-0	56
28	24.4659	0.3678	11,13-Dimethyl-12-tetradecen-1-ol acetate	1000130-81-0	92
29	24.6222	0.9146	Octanamide, N,N-dimethyl-	001118-92-9	83
30	24.7095	0.5096	Octatriacontyl pentafluoropropionate	1000351-89-1	83
31	24.9353	1.0272	Eicosane	000112-95-8	89

Il qualificatore è espresso in punti percentuali considerando come 100 il massimo livello di identificazione possibile, è da intendersi attendibile un valore di qualificatore uguale o superiore a 75.

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Mod.PT01.01 Rev.6

Test report n°: 18LA05669 of 27/04/2018

PK	RT	Area Pct	Library/ID	CAS	QUAL
32	24.992	0.46	Eicosane	000112-95-8	90
33	25.065	0.45	Hexatriacontyl pentafluoropropionate	1000351-89-0	64
34	25.204	0.94	1-Bromo-11-iodoundecane	139123-69-6	50
35	25.259	0.54	Tetracosane	000646-31-1	90
36	25.513	7.09	Tetracosane	000646-31-1	99
37	25.734	1.83	Triacetyl pentafluoropropionate	1000351-80-0	90
38	25.794	1.89	1-Hexacosene	018835-33-1	86
39	25.940	0.70	Triacetyl pentafluoropropionate	1000351-80-0	53
40	26.033	1.91	Triacetyl pentafluoropropionate	1000351-80-0	62
41	26.114	0.46	Octacosyl trifluoroacetate	1000351-74-9	70
42	26.324	2.70	Octatriacontyl pentafluoropropionate	1000351-89-1	60
43	26.435	1.11	11,13-Dimethyl-12-tetradecen-1-ol acetate	1000130-81-0	70
44	26.596	3.22	1-Decanol, 2-hexyl-	002425-77-6	83
45	26.673	0.75	Tetratriacontyl trifluoroacetate	1000351-75-3	84
46	26.767	1.28	Octatriacontyl pentafluoropropionate	1000351-89-1	59
47	27.039	6.71	Zinc, bis(dimethylcarbamodithioato-5,5'), (T-4)-	000137-30-4	99
48	27.353	7.25	Octacosane	000630-02-4	99
49	27.634	3.18	2-Piperidinone, N-[4-bromo-n-butyl]-	195194-80-0	76
50	27.796	1.93	2,6,10,14-Tetramethyl-7-(3-methylpent-4-enylidene) pentadecane	1000370-41-6	93
51	28.080	2.59	1-Heneicosyl formate	077899-03-7	70
52	28.497	2.67	Hexatriacontyl pentafluoropropionate	1000351-89-0	83
53	28.883	2.58	2-Piperidinone, N-[4-bromo-n-butyl]-	195194-80-0	86
54	29.286	3.83	Glycerol tricaprylate	000538-23-8	58
55	30.017	5.82	Triacotane	000638-68-6	98
56	30.427	1.25	Eicosane	000112-95-8	64
57	30.927	0.17	Octatriacontyl pentafluoropropionate	1000351-89-1	60

Il qualificatore è espresso in punti percentuali considerando come 100 il massimo livello di identificazione possibile, è da intendersi attendibile un valore di qualificatore uguale o superiore a 75.

The analytical results are exclusively referred to the sample.

Representation of a Test Report signed electronically in accordance with current legislation.

The test report can not be reproduced in part without the written permission of the laboratory.

Laboratory management system certified UNI EN ISO 9001: 2008 by CSQA with the No. 14270. Inclusion in the list of regional laboratories carrying out analysis in the context of self-control procedures for Food Industries No. 52. Recommended by AIC for the analysis of quantification of gluten in food matrices. Registered laboratory for the analysis of food contact materials intended for export to Japan.

Mod.PT01.01 Rev.6

3A-Laboratori SRL

Via A.Volta 1/d Maserà di Padova - 35020 (PD) Email amministrazione1@3alaboratori.it Phone 049 0994658-0994671 Fax 049 8868430
Cap. Soc. €100000,00 I.V. - REA di PD 378402 - Codice Fiscale, Iscriz. Reg. Imprese di Padova e Partita Iva 04296730288

WWW.OTSUTECH.COM

De Flammert 1002c • 5854 NA Nieuw Bergen • T +31 (0)485 769 002 • sales@otsutech.com • KVK 12030619 • BTW NL807453286B01